

Four-layer Advanced Material

OPP + EVA Floor Protection

OPP

+

PE

+

High - Density Canvas

+

Eva Rubber

or
CE
TECTION



Anti Slip



Water Resistant

novafloor




Product Overview & Details

Protect your floors with our top-tier EVA floor protection, enhanced by a crucial OPP layer. Keep your floors in good condition, safeguarded, and ready to shine post-renovation.

Size
1160 mm (W) x 12 m (L)

Coverage Per Roll
150 sf

Thickness
1mm / 2mm / 3mm



5x
Durable



Impact
Resistant



Anti
Slip



Water
Resistant




Flame
Retardant



Extra Thickness with Greater Durability

Premium Floor Protection Solutions



OPP Layer

Provides strong scratch and tear resistance, while preventing water penetration to protect floors from moisture. The anti-slip surface adds safety and reliability during work.

PE

Forms a strong adhesive layer between the OPP layer and canvas, boosting durability and ensuring long-lasting protection.

High-Density Canvas

Woven with a high-density textile process, it features a tight structure and excellent abrasion resistance, enhancing strength and protection.

EVA Rubber

Thick cushioning protects floors from heavy objects. High friction on the bottom prevents slipping and ensures stability during work.



Ultimate Renovation & Surface Protection

A Highly Reliable Solution You Can Trust

Effortless Safeguard Against
Unforeseen Renovation Impacts



Product Features





Anti-Slip

Utmost Safety




Water-Resistant

Protects From Moisture



Easy Cleaning

Eliminate Stubborn Dust



High Flexibility

Resistant to Tears



Flame Retardant

Prioritizing Fire Risk Safety



OPP + Top Tier EVA Foam

Ultimate Surface Shield

Key Accessories for Enhanced Protection



Cloth Tape

48 mm (W) x 25 m (L)

G Blade




Masking Tape

48 mm (W) x 13 m (L)

L Corner Protection


1000 mm x 50mm x 50mm
(4mm thickness)



How To Use





G Blade



L Corner Protection

Hanging / Wall Mount Key Lock Box

Keep your spare keys safe & secure with 4-digit combination lock



Prohibition Signs Sticker

A5 size (148 x 210 mm)

Multiple Languages


Waterproof Sticker

novafloor

DILARANG MEROKOK Cấm Hút Thuốc

វិនាសកម្ម ဆေးလိပ်မသုံးပါနှင့် අපදិច្ច 禁止吸烟

ধূমপান তষিদিধ ধূম্পান নষিধ



NO SMOKING
禁止吸烟

novafloor

JANGAN GUNAKAN Không sử dụng

វាងាង មដ្ច មដ្ច 禁止使用

ব্যবহার তষিদিধ ৗপযোগ ন করে



DO NOT USE
请勿使用

novafloor

DILARANG PAKAI KASUT Cấm đi giày dép

វាងាង ទុំ 禁止穿鞋

জুতা তষিদিধ जूते मना है



NO SHOES
入内请脱鞋

novafloor

DILARANG MAKAN & MINUM Cấm ăn uống


វាងាង មដ្ច 禁止外带食物/饮料

খাওয়া-দাওয়া তষিধ खाना-पीना मना है



NO FOOD & DRINK
禁止外带食物 / 饮料

Versatile Protection Beyond Floors



Tile Flooring



Wood Flooring



Stairs




Doors



Corridor



Lifts



Wall Surfaces



Windows



Tabletops

Traditional VS Novafloor

Premium Quality and Technology for Comprehensive Protection



2021 Traditional Canvas Protection

Low Durability, Less Effective Impact Protection, Absorb Water, Cause Slippage, Difficult to Clean, Bulky



2024 OPP + Top Tier EVA Form Protection

High Durability, Water Resistance & Non-Slip, Easy of Cleaning, Flexible and Cushioned, Easy Installation, Cost-Effective



Choosing the Right Thickness for Your Renovation Needs



1 mm

Optimal for General
Renovation Work

- Lightweight and easy to install
- Shields floors from dust, dirt, and minor scratches
- Ideal for general renovation tasks



3 mm

Maximum Thickness
for Heavy-Duty

- Reinforced thickness for maximum impact resistance in construction zones
- Ideal for longer protection in commercial projects



2 mm


Best for Heavy-Duty
& Wet Construction

- Provides heavy-duty protection against impacts
- Suitable for intense construction or wet works
- Durable enough to withstand heavy equipment and machinery
- Ideal for areas with high foot traffic and demanding environments

All-Ready for A New Look



Well-Protected Jobsite Stairs



Product Information

Material Structure	OPP + PE + High-Density Canvas + EVA Foam
Product Usage	Tile Flooring, Wood Flooring, Stairs, Doors, Lifts, Wall Surfaces, Windows, Tabletops
Product Size (per roll)	1160 mm (W) x 12 m (L)
Product Coverage (per roll)	150 sf
Product Thickness	1 mm, 2 mm, 3 mm