


5mm SPC Wood Flooring



Royal Collection

High

Performance Components



Features of SPC Flooring

Performance Highlights



Termite
Resistant



Stain
Resistant



Eco
Friendly



Scratch
Resistant



Hassle Free
Installation



4 Sided
Micro Bevel



Semi
Embossed



High density
 $\approx 2000\text{kg/m}^3$



Impact
Resistant



Easy to
Clean



Slip
Resistant



Fire
Retardant



Water
Resistant



Noise
Reduction

Product Overview & Details

Dimension

5 x 180 x 1220 mm

Packing

23.7 sqft / 10 pcs / ctn
24 kg / ctn
55 ctns / pallet

Wear Layer

0.3 mm

Surface

Embossed


Micro Bevel



Thickness

 5 mm

Dimension



Duke Oak
FB531



Marquis Oak
FB532




Count Oak
FB533



Viscount Oak
FB534

FB Accessories – SPC Profile

SLP



SPC L Profile

Dimension: 2400 x 20 x 10 mm



SLP531
Duke Oak



SLP532
Marquis Oak




SLP533
Count Oak



SLP534
Viscount Oak

SAP



SPC A Profile

Dimension: 2400 x 45 x 8 mm



SAP531
Duke Oak



SAP532
Marquis Oak




SAP533
Count Oak



SAP534
Viscount Oak

STP



SPC T Profile

Dimension: 2400 x 45 x 6.5 mm



STP531
Duke Oak



STP532
Marquis Oak




STP533
Count Oak



STP534
Viscount Oak

SFN



SPC Flush Nosing

Dimension: 2400 x 110 x 25 mm



SFN531
Duke Oak



SFN532
Marquis Oak



SFN533
Count Oak



SFN534
Viscount Oak



FB531



FB532



FB533



FB534

Flooring Underlayment

Silence & Protect



F1AF

PE FOAM with Aluminium Foil

Size / Dimension
1 m (w) x 100 m (l)

Thickness
1 mm

Coverage
1076 ± sqft

[illegible]